

DATA SHEET

FortiVoice™ Enterprise Phone Systems

Available in:



Centralized and Advanced Communication Features

The FortiVoice™ solutions accommodate efficient employee collaboration within a centralized, safe, and secured environment so your organization can provide the best customer service through a variety of our unique and advanced communication features. Powerful, affordable, and simple, FortiVoice phone systems have the strength to make call management easier in offices with up to 50,000 users. **With integrated voice, conferencing, and fax, FortiVoice empowers you to manage calls easily across offices, control communication costs, and stay connected globally.**



Rich Features for Optimal Collaboration

Enterprise-class communication systems with no additional licenses to buy or cards to install. Auto attendants, auto-provisioning, line/extension appearance, ring groups, user privileges, call queue, call barge, multi-location integration, and much more are built-in. FortiVoice all-inclusive system is easy to install and manage so you save the headache that comes with other phone systems.



Better Value from Your Investment

Unlike many PBX providers with hidden costs on advanced features or recurring subscription, which further adds up to the operational costs, FortiVoice comes with all calling features for everyone with simple and affordable pricing.



Simplified Management for Improved Efficiency

Centralized management system to reduce IT overheads and operating expenses. Configure and update your systems easily across multiple locations, monitor real-time performance and access call reports all from an intuitive management console. An additional mobile soft client helps your employees stay connected anywhere and anytime.



Always-on Connection for Business Continuity

Conjunction with FortiVoice Gateway, your system is secured with local survivability that helps sustain always-on communications, even when nature disasters or emergency events occur.

Product Offerings

Appliances

- FVE-20E2/4
- FVE-50E6
- FVE-100F
- FVE-200F8
- FVE-300E-T
- FVE-500F
- FVE-2000F
- FVE-5000F

Virtual Machines


- FVE-VM-50
- FVE-VM-100
- FVE-VM-200
- FVE-VM-500
- FVE-VM-2000
- FVE-VM-5000
- FVE-VM-10000
- FVE-VM-20000
- FVE-VM-50000

HIGHLIGHTS

Designed for Any Size Organization

Multiple Line Types	Support for PRI (T1/E1) digital lines, VoIP, and traditional analog lines depending on the model.
Multi-location Networking	Integrates multiple locations around the block or across the country with no long-distance charges.
All-Inclusive Features	Line/extension appearance, call queue, call barge, phone profile, ring group, call recording, rule-based dial plan, individual/group voicemail, conference bridge, fax, and much more.
Flexible Management	Multiple mode scheduling, flexible number management, re-assignable extensions, and caller ID modifications.
Ease of Configuration	Visual auto attendant config, built-in DHCP server, auto phone provisioning, web-based management, and user web portal.
Comprehensive System Monitoring	Real-time call status monitoring, call statistics, call logs, call reports, and network traffic capture.
Secure Communications	Built-in security features, policy management, and encryption options to safeguard conversations and prevent unauthorized access.

Deployment



Easy Deployment

FortiVoice offers flexible deployment options that are best aligned with your business needs while maintaining the flexibility to customize systems and letting the priorities evolve expeditiously. FortiVoice is scalable in any size of the organization where the system can be deployed on hardware appliances, or in virtual machines. It is also ideal for distributed architectures including branch locations and remote users. By operating and managing your FortiVoice solutions locally or remotely, you have the visibility and centralized control to ensure that your communications are secure and always within uptime.


For more information on FortiVoice, please visit

<https://www.fortinet.com/products/business-phone-systems/fortivoice-fortifone#models-specs>

FEATURES

Core PBX Features

- SIP/PRI/PSTN trunk
- T1/E1/R2 signaling
- SIP/analog extensions
- Remote extensions
- External IP extensions
- Auto attendants
- Dial-by-name directory
- Individual voicemail
- Group voicemail
- Voicemail to e-mail
- Ring groups
- Call conference/bridge
- Call forward
- Call hold / transfer / park / pickup
- Paging to selected phones
- Intercom
- Follow-me
- Rule-based dial plan
- Scheduled call handling
- Direct inward dialing
- Caller-based direct inward dialing
- Caller ID modification
- Automatic hotline (direct call)
- User privileges
- Personal and system speed dial
- Personal blacklist
- Music on hold — audio files
- Music on hold — live stream
- Real-time call status monitoring
- Line/extension appearance
- Call detail record logging
- SIP over TLS/SRTP
- Password policy enforcement



Advanced Features

- Fax over SIP/PRI/PSTN
- Fax to e-mail
- Fax archive and remote storage
- Web-based management interface
- Click-to-dial
- Automatic fax detection
- Auto-provisioning
- Web-based directory lookup
- LDAP authenticate
- Hot desking
- Virtual numbers
- Synchronizing phone book between multiple offices
- Multi-location: office peers
- Look up centralized phone book from phones
- Network traffic capture
- Enhanced CDR
- Alert email for system events
- Multilingual



FEATURES AVAILABILITY

MODEL	FVE							
FEATURES	20E2/4	50E6	100F	200F8	300E-T	500F	2000F	5000F
Advanced Call Features								
Reminder/Wake-up call			✓	✓	✓	✓	✓	✓
Call queue			✓	✓	✓	✓	✓	✓
Call barge			✓	✓	✓	✓	✓	✓
Call recording			✓	✓	✓	✓	✓	✓
Operator console	✓	✓	✓	✓	✓	✓	✓	✓
Advanced Network								
Voice QoS	✓	✓	✓	✓	✓	✓	✓	✓
SRTP	✓	✓	✓	✓	✓	✓	✓	✓
DHCP server	✓	✓	✓	✓	✓	✓	✓	✓
High availability (HA)			✓	✓	✓	✓	✓	✓
NAS support			✓	✓	✓	✓	✓	✓
802.1Q VLAN	✓	✓	✓	✓	✓	✓	✓	✓
SNMP	✓	✓	✓	✓	✓	✓	✓	✓
Advanced Management								
Command line interface (CLI)	✓	✓	✓	✓	✓	✓	✓	✓
Password policy/audit	✓	✓	✓	✓	✓	✓	✓	✓
Schedule backup	✓	✓	✓	✓	✓	✓	✓	✓
Role-based management			✓	✓	✓	✓	✓	✓
SMDR			✓	✓	✓	✓	✓	✓
Remote logging			✓	✓	✓	✓	✓	✓
Call report			✓	✓	✓	✓	✓	✓
User portal			✓	✓	✓	✓	✓	✓
Customizable web appearance			✓	✓	✓	✓	✓	✓
Additional Licensed Features								
Hotel/property management			✓	✓	✓	✓	✓	✓
Call center			✓	✓	✓	✓	✓	✓



FEATURES AVAILABILITY

MODEL	FVE-VM									
FEATURES	50	100	200	500	2000	5000	10000	20000	50000	
Advanced Call Features										
Reminder/Wake-up call		✓	✓	✓	✓	✓	✓	✓	✓	✓
Call queue		✓	✓	✓	✓	✓	✓	✓	✓	✓
Call barge		✓	✓	✓	✓	✓	✓	✓	✓	✓
Call recording		✓	✓	✓	✓	✓	✓	✓	✓	✓
Operator console	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Advanced Network										
Voice QoS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RTP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DHCP server	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
High availability (HA)		✓	✓	✓	✓	✓	✓	✓	✓	✓
NAS support		✓	✓	✓	✓	✓	✓	✓	✓	✓
802.1Q VLAN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SNMP	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Advanced Management										
Command line interface (CLI)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Password policy/audit	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Schedule backup	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Role-based management		✓	✓	✓	✓	✓	✓	✓	✓	✓
SMDR		✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote logging		✓	✓	✓	✓	✓	✓	✓	✓	✓
Call report		✓	✓	✓	✓	✓	✓	✓	✓	✓
User portal		✓	✓	✓	✓	✓	✓	✓	✓	✓
Customizable web appearance		✓	✓	✓	✓	✓	✓	✓	✓	✓
Additional Licensed Features										
Hotel/property management		✓	✓	✓	✓	✓	✓	✓	✓	✓
Call center		✓	✓	✓	✓	✓	✓	✓	✓	✓



SPECIFICATIONS

MODEL	FVE-20E2 / 20E4	FVE-50E6	FVE-100F	FVE-200F8	FVE-300E-T	FVE-500F	FVE-2000F	FVE-5000F
Hardware Specifications								
PRI (T1/E1)	0	0	0	0	1	0	0	0
Traditional telephone lines (FXO)	2 / 4	6	0	8	0	0	0	0
Analog extensions (FXS)	2 / 0	2	0	0	0	0	0	0
Network interfaces (RJ45)	2	2	2	2	5	4	4	4 + 2 SFP
Total hard drive capacity	8 GB	8 GB	240 GB	500 GB	500 GB	1 TB	2 × 1 TB	2 × 2 TB
RAID storage management	No	No	No	No	No	No	Software: 0,1	Hardware: 0, 1, 5, 10, Hot Spare (based on drive count)
Hardware form factor								
Desktop	Desktop	Desktop	Desktop	Rack Mount (1U)	Rack Mount (1U)	Rack Mount (1U)	Rack Mount (1U)	Rack Mount (1U)
Power supply								
External	External	External	External	Single	Single	Single	Single (dual optional)	Dual (hot swappable)
Dimensions								
Height x width x length (inches)	11.3 × 4.55 × 6.75	11.3 × 4.55 × 6.75	1.61 × 8.27 × 5.24	1.73 × 17.01 × 10.63	1.73 × 17.01 × 10.63	1.73 × 17.01 × 10.63	1.73 × 17.01 × 10.63	1.70 × 17.10 × 14.30
Height x width x length (mm)	29 × 116 × 172	29 × 116 × 172	41 × 210 × 133	44 × 432 × 270	44 × 432 × 270	44 × 432 × 270	44 × 432 × 270	44 × 435 × 364
Weight	1.4 lbs (0.61 kg)	1.4 lbs (0.61 kg)	2.6 lbs (1.2 kg)	10 lbs (4.54 kg)	10 lbs (4.54 kg)	10 lbs (4.54 kg)	16.1 lbs (7.3 kg)	16.1 lbs (7.3 kg)
Capacity								
VoIP trunks	4	8	16	24	30	50	200	500
Extensions	20	50	100	200	300	500	2000	5000
Concurrent calls	8	15	30	32	60	75	300	800
Auto attendants	5	5	10	15	20	20	100	100
Conference bridges	2	2	8	10	12	12	50	50
Conference attendees per bridge	6	6	8	10	12	12	18	50
Maximum call center agents	N/A	N/A	10	20	30	55	150	300
Codec support	Audio: G.711 μ-law/A-law, G.729a, G.722, G.726 Video: H.263, H.264							

MODEL	VM-50	VM-100	VM-200	VM-500	VM-2000	VM-5000	VM-10000	VM-20000	VM-50000
Hardware Specifications									
vCPU (Recommended)	1	1	2	2	4	8	16	16	32
RAM (Recommended)	2 GB	2 GB	4 GB	8 GB	16 GB	16 GB	32 GB	32 GB	32 GB
Network interfaces	4	4	4	4	4	4	4	4	4
Total hard drive capacity*	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB	up to 8 TB
Hardware form factor	Software	Software	Software	Software	Software	Software	Software	Software	Software
Capacity									
VoIP trunks	8	16	24	50	200	500	1000	2000	3000
Extensions	50	100	200	500	2000	5000	10 000	20 000	50 000
Concurrent calls	15	30	36	75	300	800	1500	1500	2000
Auto attendants	5	10	10	20	100	100	100	150	200
Conference bridges	2	8	10	12	50	50	50	50	100
Conference attendees per bridge	12	12	12	12	18	50	50	50	50
Maximum call center agents	N/A	10	20	55	150	300	800	800	1000
Codec support	Audio: G.711 μ-law/A-law, G.729a, G.722, G.726 Video: H.263, H.264								

* Minimum 50 GB

FortiVoice systems are supported for use in various regions. For up-to-date availability information, see the [FortiVoice Global Availability](#) datasheet.



ORDER INFORMATION

Product	SKU	Description
FortiVoice 20E2	FVE-20E2	FortiVoice 20E2, 2× 10/100 ports, 2x FXO, 2x FXS, 8 GB storage, 20 endpoints, 4 VoIP trunks.
	FVE-20E2-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FVE21-247-02-DD	FortiCare Premium Support
FortiVoice 20E4	FVE-20E4	FortiVoice 20E4, 2× 10/100 ports, 4x FXO, 8 GB storage, 20 endpoints, 4 VoIP trunks.
	FVE-20E4-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FVE21-247-02-DD	FortiCare Premium Support
FortiVoice 50E6	FVE-50E6	FortiVoice 50E6, 2× 10/100/1000 ports, 1× 8 GB storage, 50 endpoints, 8 VoIP trunks.
	FVE-50E6-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FVE50-247-02-DD	FortiCare Premium Support
FortiVoice 100F	FVE-100F	FortiVoice 100F, 2× 10/100/1000 ports, 1× 240 GB storage, 100 endpoints, 15 VoIP trunks. Call Center and Hotel licenses supported.
	FVE-100F-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FV10-247-02-DD	FortiCare Premium Support
FortiVoice 200F8	FVE-200F8	FortiVoice 200F8, 5× 10/100/1000 ports, 8x FXO, 1× 500 GB Storage, 200 endpoints, 24 VoIP trunks. Call Center and Hotel licenses supported.
	FVE-200F8-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-F8200-247-02-DD	FortiCare Premium Support
FortiVoice 300E-T	FVE-300E-T	FortiVoice 300E-T, 5× 10/100/1000 ports, 1x PRI, 1× 500 GB storage, 300 endpoints, 30 VoIP trunks. Call Center and Hotel licenses supported.
	FVE-300E-T-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FVE32-247-02-DD	FortiCare Premium Support
FortiVoice 500F	FVE-500F	FortiVoice 500F, 4× 10/100/1000 ports, 1× 1 TB storage, 500 endpoints, 50 VoIP trunks. Call Center and Hotel licenses supported.
	FVE-500F-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-F500F-247-02-DD	FortiCare Premium Support
FortiVoice 2000F	FVE-2000F	FortiVoice 2000F, 4× 10/100/1000 ports, 2× 1 TB storage with RAID 1 or 0, 2,000 endpoints, 200 VoIP trunks; optional redundant PSU. Call Center and Hotel licenses supported.
	FVE-2000F-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FV2KF-247-02-DD	FortiCare Premium Support
FortiVoice 5000F	FVE-5000F	FortiVoice 5000F, 4× 10/100/1000 and 2x SFP ports, 2× 2 TB storage with RAID 1, supports 5,000 phone endpoints, 500 SIP trunks, and dual AC power supplies. Call Center and PMS licensing supported.
	FVE-5000F-BDL-247-DD	Hardware plus FortiCare Premium Support
	FC-10-FV5KF-247-02-DD	FortiCare Premium Support
Power supply for FVE-2000F and FVE-5000F	SP-FML900F-PS	AC power supply for FVE-2000F and FVE-5000F
HDD for FVE-5000F	SP-FML900F-HDD	2 TB 3.5" SATA hard drive with tray for FVE-5000F

FortiCare Support Service

FortiCare Support Services is per-device support services, and it provides customers access to over 1400 experts to ensure efficient and effective operations and maintenance of their Fortinet capabilities. Global technical support is offered 24×7 with flexible add-ons, including enhanced service level agreements (SLAs) and premium hardware replacement through 200+ in-country depots.



ORDER INFORMATION

Related Products	SKU	Description
FortiVoice-VM-50	FVE-VM-50	FortiVoice-VM-50 software supports 50 endpoints and 8 VoIP trunks.
	FC-10-F0V50-248-02-DD	FortiCare Premium Support
FortiVoice-VM-100	FVE-VM-100	FortiVoice-VM-100 software supports 100 endpoints and 16 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-F0100-248-02-DD	FortiCare Premium Support
FortiVoice-VM-200	FVE-VM-200	FortiVoice-VM-200 software supports 200 endpoints and 24 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-F0200-248-02-DD	FortiCare Premium Support
FortiVoice-VM-500	FVE-VM-500	FortiVoice-VM-500 software supports 500 endpoints and 50 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-F0500-248-02-DD	FortiCare Premium Support
FortiVoice-VM-2000	FVE-VM-2000	FortiVoice-VM-2000 software supports 2,000 endpoints and 200 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-F0V2K-248-02-DD	FortiCare Premium Support
FortiVoice-VM-5000	FVE-VM-5000	FortiVoice-VM-5000 software supports 5,000 endpoints and 500 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-FVM50-248-02-DD	FortiCare Premium Support
FortiVoice-VM-10000	FVE-VM-10000	FortiVoice-VM-10000 software supports 10,000 endpoints and 1,000 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-FVM100-248-02-DD	FortiCare Premium Support
FortiVoice-VM-20000	FVE-VM-20000	FortiVoice-VM-20000 software supports 20,000 endpoints and 2,000 SIP trunks. Call Center and Hotel licenses supported.
	FC-10-FV20K-248-02-DD	FortiCare Premium Support
FortiVoice-VM-50000	FVE-VM-50000	FortiVoice-VM-50000 software supports 50,000 endpoints and 3,000 VoIP trunks. Call Center and Hotel licenses supported.
	FC-10-FV50K-248-02-DD	FortiCare Premium Support



www.fortinet.com

Copyright © 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA (<https://www.fortinet.com/content/dam/fortinet/assets/legal/EULA.pdf>) and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy (https://secure.ethicspoint.com/domain/media/en/gui/19775/Whistleblower_Policy.pdf).